

DECLARATION OF PERFORMANCE

1. Unique identification code of the product-type:

For product number please see attached list

2. Product-type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Washbasins made of sanitary ceramics

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Bathroom Use

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Yingjie Sanitary Ware

LINGTANG, FENG'ER, GUXIANG, CHAOAN, CHAOZHOU, CHINA

Ph no. +86 13376755118

website: <https://gdyingjie.en.made-in-china.com/>

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

Determination of product type and factory production control by the manufacturer

8. In case of the declaration of performance concerning a construction product for which an issued European Technical Assessment has been issued:

Not applicable

9. Declared performance

Characteristics	Essential Characteristics	Performance	Standard
Draining of water	When tested in accordance with 5.3.all water shall drain away.	Pass	EN 14688:2015+A 1:2018
Resistance to temperature changes	When tested in accordance with 5.4. they shall not show defects. such as crack or delamination which influences the intended use	Pass	
Resistance to chemicals and staining agents	When tested in accordance with 5.5 washbasins shall not show any permanent surface deterioration such as stains or deterioration not removable with water or abrasive agent.	Pass	
Cleanability	When tested in accordance with 5.8 washbasins shall have smooth and readily cleaned non-absorbent functional surfaces which are free from acute internal corners which would be difficult to clean.	Pass	

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Product number	Product name
YJ-9004C	Bowl washbasin
YJ-9243	Bowl washbasin
YJ-9382	Bowl washbasin
YJ-9388	Bowl washbasin
YJ-9391B	Bowl washbasin
YJ-9396	Bowl washbasin
YJ-9447	Bowl washbasin
YJ-9451	Wallhung washbasin
YJ-9452	Wallhung washbasin
YJ-9477C	Wallhung washbasin
YJ-9477E	Wallhung washbasin
YJ-9487B	Bowl washbasin
YJ-9487C	Bowl washbasin
YJ-9491B	Bowl washbasin
YJ-9491C	Bowl washbasin
YJ-9497C	Bowl washbasin
YJ-9533	Bowl washbasin
YJ-9536	Bowl washbasin
YJ-9553	Wallhung washbasin
YJ-9554	Wallhung washbasin
YJ-9555	Wallhung washbasin
YJ-9594	Bowl washbasin
YJ-9611	Bowl washbasin
YJ-9636	Bowl washbasin
YJ-9638	Bowl washbasin